


Data integration & management within the IoT ecosystem



Data management within the IoT ecosystem




Dynamic access to endless data structures

```
<seq db-primary-key="id" id="account bugs">
        <elem id="account_bugs_row">
          <str db-column-name="id" id="account bugs row id" max-length="36"/>
          <str db-column-name="account id" db-foreiqn-key="accounts row id" defaultstr="NULL" id="account bugs row account id" max-length="36"/>
          <str db-column-name="bug id" db-foreign-key="bugs row id" defaultstr="NULL" id="account bugs row bug id" max-length="36"/>
          <datetime db-column-name="date modified" id="account bugs row date modified"/>
          <formatnum db-column-name="deleted" format="(-?\d{0, 1})" id="account bugs row deleted" max-digits="1"/>
10
        </elem>
11
      </seq>
      <seq db-primary-key="id" id="accounts">
12 🔻
13 ▶
        <elem id="accounts row">↔</elem>
48
      </seq>
      <seq db-primary-key="id" id="accounts contacts">
49 🔻
50 ▼
        <elem id="accounts contacts row">
51
          <str db-column-name="id" id="accounts contacts row id" max-length="36"/>
          <str db-column-name="contact id" db-foreign-key="contacts row id" defaultstr="NULL" id="accounts contacts row contact id" max-length="36"/>
52
          <str db-column-name="account id" db-foreign-key="accounts row id" defaultstr="NULL" id="accounts contacts row account id" max-length="36"/>
53
          <datetime db-column-name="date modified" id="accounts contacts row date modified"/>
54
55
          <formatnum db-column-name="deleted" format="(-?\d{0, 1})" id="accounts contacts row deleted" max-digits="1"/>
56
        </elem>
57
      </seq>
58 ▼
      <seq db-primary-key="id" id="bugs">
59 ▶
        <elem id="bugs row">↔</elem>
80
      </seq>
      <seq db-primary-key="id" id="contacts">
81 🔻
        <elem id="contacts row">
82 🔻
          <str db-column-name="id" id="contacts row id" max-length="36"/>
83
84
          <datetime db-column-name="date entered" id="contacts row date entered"/>
85
          <datetime db-column-name="date modified" id="contacts row date modified"/>
          <str db-column-name="modified user id" defaultstr="NULL" id="contacts row modified user id" max-length="36"/>
86
          <str db-column-name="created by" defaultstr="NULL" id="contacts row created by" max-length="36"/>
87
          <str db-column-name="description" id="contacts row description"/>
88
          <formatnum db-column-name="deleted" defaultnum="0" format="(-?\d{0, 1})" id="contacts row deleted" max-digits="1"/>
89
```






Usability by abstraction







Integration of IoT systems







COO / Founder - André Schütz tensei@wegtam.com www.tensei-data.com Hall 11 / Booth D33 (20)

